



US00D461047S

(12) **United States Design Patent** (10) Patent No.: **US D461,047 S**  
**Peterson** (45) Date of Patent: **\*\* Aug. 6, 2002**

(54) **KEY FOB**

(75) Inventor: **John Peterson, Toronto (CA)**

(73) Assignee: **Digital Security Controls Ltd.,  
Concord (CA)**

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/136,125**

(22) Filed: **Jan. 26, 2001**

(51) LOC (7) Cl. .... **03-01**

(52) U.S. Cl. .... **D3/208**

(58) Field of Search ..... D3/207-212; 70/456 R,  
70/456-458; 24/3.6, 381, 385, 415-417,  
427-431

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D273,053 S \* 3/1984 Hamborg ..... D99/28  
D342,830 S \* 1/1994 Zeller ..... D3/209  
D369,902 S \* 5/1996 Petruzzi ..... D3/208  
D380,895 S \* 7/1997 Tsui ..... D3/208

D388,953 S \* 1/1998 Hartman et al. .... D3/212

D401,054 S \* 11/1998 Hartmann et al. .... D3/212

D419,289 S \* 1/2000 Edwards ..... D3/208

\* cited by examiner

*Primary Examiner*—Ralf Seifert

(57) **CLAIM**

An ornamental design for a key fob, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view of the key fob having a slidable shield in a closed position;

FIG. 2 is a top view of the key fob;

FIG. 3 is a side view of the key fob;

FIG. 4 is a right end view of the key fob;


FIG. 5 is a left end view of the key fob;

FIG. 6 is a bottom end view of the key fob;

FIG. 7 is a perspective view of the key fob with a slidable shield in an open position; and,

FIG. 8 is a perspective view of a key fob showing a second embodiment of my new design.

**1 Claim, 4 Drawing Sheets**







FIG. 1.

FIG. 2.






FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6.




FIG. 7.




FIG. 8